



# 70 Series Mobile Computer

# contents

---

docks and modules .....2

---

data cables .....5

---

handles and holsters.....6

---

power supplies.....8

---

replacement parts .....9




---



mass storage .....10

---



flexdock..... 11

# docks and modules


PRODUCT NAME	SKU	DESCRIPTION
Vehicle Dock, CN70/CN70e 	<b>871-034-001 (1000AV01)</b>	Retains mobile computer in vehicle environment. Easy one-handed removal of device. Provides USB Host (HDB15M) and RS-232 (DB9M) receptacles. Provides 5V DC on RS-232 Pin 9 for powering peripherals. Requires 805-638-001 Mounting Kit and power option listed below. Optional 850-828-001 Audio Adapter via USB port. Optional USB Host Cable VE011-2016. Not compatible with Scan Handle, Magnetic Stripe Reader or Snap-On Adapters.
Vehicle Holder, CN70/CN70e 	<b>805-672-001 (1000AV02)</b>	Retains mobile computer in vehicle environment. Does not provide connectivity. Requires 805-638-001 Mounting Kit. Not compatible with Scan Handle, Magnetic Stripe Reader or Snap-On Adapters.
Vehicle Dock, CK70/CK71 	<b>871-035-001 (1001AV01)</b>	Retains mobile computer in vehicle environment. Easy one-handed removal of device. Provides USB Host (HDB15M) and RS-232 (DB9M) receptacles. Provides 5V DC on RS-232 Pin 9 for powering peripherals. Requires 805-638-001 Mounting Kit and power option listed below. Optional 850-828-001 Audio Adapter via USB port. Optional USB Host Cable VE011-2016. Compatible with Scan Handle or Magnetic Stripe Reader. Not compatible with Snap-On Adapters.
Vehicle Holder, CK70/CK71 	<b>805-673-001 (1001AV02)</b>	Retains mobile computer in vehicle environment. Does not provide connectivity. Requires 805-638-001 Mounting Kit. Compatible with Scan Handle or Magnetic Stripe Reader. Not compatible with Snap-On Adapters.
Vehicle Dock Mounting Kit 	<b>805-638-001</b>	Required for Vehicle Dock or Vehicle Holder. Consists of one 4.75 in adjustable pivot arm with two 1.5 in stainless steel balls and assembly hardware. Requires customer-supplied hardware to secure mount to vehicle.

PRODUCT NAME	SKU	DESCRIPTION
Power Cable, Dock to Fuse Block	<b>226-109-003</b>	Power Option: For connection of Vehicle Dock to fuse block or similar connection point. Power Cable with spade lugs. Supports input voltage of 12-30V DC. Optionally used with 203-803-001 Fuse Block Power Kit if direct connection to fuse block not available.
Vehicle Dock Fuse Block Power Kit	<b>203-803-001</b>	Power Distribution Block optionally used 226-109-003 when direct connection to vehicle fuse block is not available.
Vehicle Dock Installation Kit	<b>203-802-001</b>	Power Option: For connection of Vehicle Dock directly to vehicle battery. Includes power cables and cable mounting hardware. Alternate to 70 Series Vehicle Dock Power Cable. Supports input voltage of 12-30V DC.
DC/DC Converter Kit, 6-60V DC	<b>203-808-001</b>	Power Option: For connection of Vehicle Dock to fork lift power systems operating on 6-60V DC. Provides filtering and conditioning. Includes all power cables and cable mounting hardware.
DC/DC Converter Kit, 15-96V DC	<b>203-809-001</b>	Power Option: For connection of Vehicle Dock to fork lift power systems operating on 15-96V DC. Provides filtering and conditioning. Includes all power cables and cable mounting hardware.
Auto Adapter Vehicle Dock 	<b>852-057-005 (1000AA08)</b>	Power Option: For connection of Vehicle Dock screw-down power receptacle to vehicle cigarette lighter/power port.
Audio Adapter, 70 Series Vehicle Dock 	<b>850-828-001</b>	Adapts Vehicle Dock USB connector to amplified audio output. Terminates in 3.5 mm Audio Jack. Customer must supply loudspeaker appropriate to application.






PRODUCT NAME	SKU	DESCRIPTION
<p>Snap-On Adapter, Ethernet, 70 Series</p> 	<p><b>850-565-001</b> <b>(1000AA01)</b></p>	<p>Provides RJ45 receptacle for Ethernet connectivity via standard cables (not included). Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, RS-232, 70 Series</p> 	<p><b>850-566-001</b> <b>(1000AA03)</b></p>	<p>Provides DB9M receptacle for RS-232 serial communications. Provides 5V DC on Pin 9 for powering peripherals. Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. This adapter is NOT compatible with SR61TXR. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, USB, 70 Series</p> 	<p><b>850-567-001</b> <b>(1000AA07)</b></p>	<p>Provides HDB15M receptacle for USB Host and Client connectivity. Requires USB cable VE011-2016 (Host) and/or VE011-2018 (Client). Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, DEX, 70 Series</p> 	<p><b>850-568-001</b> <b>(1000AA04)</b></p>	<p>Provides connectivity to DSD receiving systems supporting DEX standards. Terminates in 0.25 in DEX plug. Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, Audio, 70 Series</p> 	<p><b>850-577-001</b> <b>(1000AA02)</b></p>	<p>Provides Quick Disconnect (QD) headset connector for use in audio and voice applications. Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Magnetic Stripe Reader (MSR), CN70/CN70e</p> 	<p><b>850-570-001</b> <b>(1001AA01)</b></p>	<p>Reads credit cards and similar cards with data encoded on magnetic stripe. Attaches to docking connector on CN70/CN70e. MSR does not need to be removed for docking in FlexDock.</p>







PRODUCT NAME	SKU	DESCRIPTION
<p>Magnetic Stripe Reader (MSR), CK70/CK71</p> 	<p><b>850-574-001</b> <b>(1000AA06)</b></p>	<p>Reads credit cards and similar cards with data encoded on magnetic stripe. Attaches to back of mobile computer via Back Accessory Interface (order separately). Not compatible with Scan Handle. Includes shortened handstrap.</p>
<p>Back Accessory Interface, CK70/CK71 715-605-001</p> 		<p>Replaces back access door on CK70/71. Provides power and data connections to back-mounted peripherals designed for use with CK70/71. Partner Development Guide is available to aid in creating compatible peripheral devices.</p>

## data cables

PRODUCT NAME	SKU	DESCRIPTION
<p>Cable, Single USB Host</p> 	<p><b>VE011-2016</b></p>	<p>Adapts Vehicle Dock USB Connector or USB Snap-On Adapter to USB-A Female receptacle for connectivity to USB Host peripherals. Use optional Cable Retainer Kit (203-810-001, sold separately) to secure USB connectors.</p>
<p>Cable, Single USB Client</p>	<p><b>VE011-2018</b></p>	<p>For use with USB Snap-On Adapter to provide USB Client (ActiveSync) connection to host PC. Use optional Cable Retainer Kit (203-810-001, sold separately) to secure USB connectors.</p>
<p>Kit, USB Cable Retainer (5/pk)</p>	<p><b>203-810-001</b></p>	<p>Contains five (5) sets of Cable Retainers used to secure USB connectors.</p>




# handles and holsters



PRODUCT NAME	SKU	DESCRIPTION
<p>Scan Handle, CN70/CN70e</p> 	<p><b>805-835-001</b></p>	<p>Snaps easily on or off mobile computer. Angles mobile computer to enable screen viewing while scanning. Optional bracket included for semi-permanent attachment. Not compatible with Vehicle Dock or Holder.</p>
<p>Scan Handle, CK70</p> 	<p><b>805-836-002</b></p>	<p>Attaches to mobile computer with screw in handle. Does not interfere with Vehicle Dock or Holder use. Not compatible with Magnetic Stripe Reader. Slightly obscures the lower portion of the camera field of view.</p>
<p>Scan Handle, CK71</p> 	<p><b>805-836-001</b></p>	<p>Attaches to mobile computer with screw in handle. Does not interfere with Vehicle Dock or Holder use. Not compatible with Magnetic Stripe Reader.</p>
<p>Holster, CN70 w/o Scan Handle</p> 	<p><b>815-067-001</b></p>	<p>Holster, CN70 w/o Scan Handle</p>
<p>Holster, CN70 and CN70e w/Scan Handle</p> 	<p><b>815-074-001</b></p>	<p>Holster, CN70 and CN70e w/Scan Handle</p>

PRODUCT NAME	SKU	DESCRIPTION
Holster, CN70e w/o Scan Handle 	<b>815-080-001</b>	Holster, CN70e w/o Scan Handle
Holster, CK71 w/o Scan Handle 		<b>815-068-001</b>
Holster, CK71 w/Scan Handle 	<b>815-075-001</b>	Holster, CK71 w/Scan Handle
Desk Stand, CN70/CN70e 	<b>203-933-001</b>	Positions mobile computer upright on flat surface; allows connection of adapters and cables.
Desk Stand, CK70/CK71 	<b>203-934-001</b>	Positions mobile computer upright on flat surface; allows connection of adapters and cables.
Protective Boot, CK71 	<b>203-961-001</b>	Rubber boot for CK71 only. Charcoal color. Use with or without handle. (Not compatible with holster or vehicle docks.)










# power supplies

PRODUCT NAME	SKU	DESCRIPTION
<p>AC Power Supply, 3-Pin Connector</p> 	<p><b>851-094-011</b> <b>(9001AE01)</b></p>	<p>Provides 3-pin quarter-turn locking connector for use with 70 Series Snap-On Adapters. Requires AC line cord.</p>
<p>Vehicle Power Adapter, 3-Pin Connector</p> 	<p><b>852-071-001</b> <b>(9002AX01)</b></p>	<p>Provides 3-pin quarter-turn locking connector for power connection between vehicle cigarette lighter/ power port and Snap-On Adapters.</p>
<p>Vehicle Power Adapter, 18-pin Connector</p> 	<p><b>852-074-001</b></p>	<p>Provides direct power connection between the vehicle cigarette lighter / power port and the 70 Series docking connector.</p>
<p>AC Power Cord</p>	<p><b>321-470-001</b> <b>321-500-001</b> <b>071918</b> <b>1-974027-025</b> <b>1-974028-025</b> <b>1-974029-020</b> <b>1-974030-025</b> <b>321-471-002</b> <b>321-501-002</b> <b>321-502-002</b></p>	<p>AC Power Cord, Switzerland AC Power Cord, Japan AC Power Cord, China RoHS AC Power Cord, Europe RoHS AC Power Cord, US RoHS AC Power Cord, UK RoHS AC Power Cord, Australia RoHS AC Power Cord, Italy RoHS AC Power Cord, Denmark RoHS AC Power Cord, India/South Africa RoHS</p>

PRODUCT NAME	SKU	DESCRIPTION
Battery Pack, CN70/CN70e 	<b>318-043-023</b> <b>(1000AB01)</b>	Spare or replacement battery pack for CN70/CN70e (one pack included with each mobile computer).
Battery Pack, CK70/CK71 	<b>318-046-021</b> <b>(1001AB01)</b>	Spare or replacement battery pack for CK70/CK71 (one pack included with each mobile computer).

## replacement parts




PRODUCT NAME	SKU	DESCRIPTION
Kit, Tethered Stylus, CN70/70e (5/pk) 	<b>203-932-001</b>	Kit of five (5) replacement styluses for CN70/CN70e (one stylus included with each mobile computer).
Kit, Tethered Stylus, CK70/71 (5/pk) 	<b>203-928-001</b>	Kit of five (5) replacement styluses for CK70/CK71 (one stylus included with each mobile computer).
Kit, Handstrap, CN70 (5/pk) 	<b>203-930-001</b>	Kit of five (5) replacement handstraps for CN70 (one handstrap included with each mobile computer).




PRODUCT NAME	SKU	DESCRIPTION
Kit, Handstrap, CN70e (5/pk) 	<b>203-931-001</b>	Kit of five (5) replacement handstraps for CN70e (one handstrap included with each mobile computer).
Kit, Handstrap, CK70/71 (5/pk) 	<b>203-929-001</b>	Kit of five (5) replacement handstraps for CK70/CK71 (one handstrap included with each mobile computer).
Kit, Screen Cleaner Wipes	<b>345-065-101</b>	Includes 24 pre-moistened, non-abrasive, non-streaking 4 in x 7 in wipes.
Kit, Screen Protector, 3.5" (10/pk) 	<b>346-069-107</b>	Contains ten (10) self-adhesive screen protectors.
Kit, Screen Protector, 3.5" (25/pk) 	<b>346-069-207</b>	Contains twenty-five (25) self-adhesive screen protectors.

## mass storage

PRODUCT NAME	SKU	DESCRIPTION
Micro SD Card, 1 GB	<b>856-065-004</b>	Industrial-Grade Micro SD card for reliable performance in all 70 Series operating environments
Micro SD Card, 2 GB	<b>856-065-005</b>	Industrial-Grade Micro SD card for reliable performance in all 70 Series operating environments
Micro SD Card, 4 GB	<b>856-065-006</b>	Industrial-Grade Micro SD card for reliable performance in all 70 Series operating environments

# flexdock

PRODUCT NAME	SKU	DESCRIPTION
Desktop Dock CN70/70e No Power Cord CN70/70e NA Power Cord CK70/71 No Power Cord CK70/71 NA Power Cord 	<b>DX1A01A20</b> <b>DX1A01A10</b> <b>DX1A02B20</b> <b>DX1A02B10</b>	Accommodates one mobile computer and one auxiliary pack charger, capable of supporting two battery packs. Provides USB Host and Client connectivity. Includes power supply. North American customers should order configuration that includes NA Power Cord. Supports USB cable (236-209-001) via USB Client port for connection to Host PC. Supports optional Ethernet module (871-238-011) or Analog Modem module (871-238-002) via USB Host port. Charges mobile computer in less than 4 hours (typical); up to 6 hours for fully discharged batteries.
Cable Assy, USB-A to USBMicroB, 1M 	<b>236-209-001</b>	Provides USB Client connectivity between Desktop Dock and Host PC.
Ethernet Adapter, FlexDock Desktop 	<b>871-238-011</b>	Attaches to USB Host port on FlexDock Desktop to provide Ethernet connectivity.
Modem Adapter, FlexDock Desktop	<b>871-238-002</b>	Attaches to USB Host port on FlexDock Desktop to provide analog modem communications.

PRODUCT NAME	SKU	DESCRIPTION
<p>Dual Dock Ethernet                      CN70/70e No Power Cord                      CN70/70e NA Power Cord                      CK70/71 No Power Cord                      CK70/71 NA Power Cord                      Dual Dock Charge Only                      CN70/70e No Power Cord                      CN70/70e NA Power Cord                      CK70/71 No Power Cord                      CK70/71 NA Power Cord</p> 	<p><b>DX2A11120</b>  <b>DX2A11110</b>  <b>DX2A12220</b>  <b>DX2A12210</b></p> <p><b>DX2A21120</b>  <b>DX2A21110</b>  <b>DX2A22220</b>  <b>DX2A22210</b></p>	<p>Accommodates two mobile computers. Includes power supply. North American customers should order configuration that includes NA Power Cord. Optional 100Base-T Ethernet connectivity; provides two RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks. Charges mobile computer in less than 4 hours (typical); up to 6 hours for fully discharged batteries.</p>
<p>Quad Dock Ethernet                      CN70/70e No Power Cord                      CN70/70e NA Power Cord                      CK70/71 No Power Cord                      CK70/71 NA Power Cord                      Quad Dock Charge Only                      CN70/70e No Power Cord                      CN70/70e NA Power Cord                      CK70/71 No Power Cord                      CK70/71 NA Power Cord</p> 	<p><b>DX4A1111100</b>  <b>DX4A1111110</b>  <b>DX4A1222200</b>  <b>DX4A1222210</b></p> <p><b>DX4A2111100</b>  <b>DX4A2111110</b>  <b>DX4A2222200</b>  <b>DX4A2222210</b></p>	<p>Accommodates four mobile computers. Includes power supply. North American customers should order configuration that includes NA Power Cord. Optional 100Base-T Ethernet connectivity; provides two RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks. Charges mobile computer in less than 4 hours (typical); up to 6 hours for fully discharged batteries.</p>
<p>4-Position Battery Charger                      CN70/70e No Power Cord                      CN70/70e NA Power Cord                      CK70/71 No Power Cord                      CK70/71 NA Power Cord</p> 	<p><b>DX2A2AA20</b>  <b>DX2A2AA10</b>  <b>DX2A2BB20</b>  <b>DX2A2BB10</b></p>	<p>Accommodates two auxiliary pack charger cups, capable of supporting four battery packs. Includes power supply. North American customers should order configuration that includes NA Power Cord. Charges battery packs in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>

PRODUCT NAME	SKU	DESCRIPTION
<p>8-Position Battery Charger                      CN70/70e No Power Cord                      CN70/70e NA Power Cord                      CK70/71 No Power Cord                      CK70/71 NA Power Cord</p> 	<p><b>DX4A2AAAA00</b>  <b>DX4A2AAAA10</b>  <b>DX4A2BBBB00</b>  <b>DX4A2BBBB10</b></p>	<p>Accommodates four auxiliary pack charger cups, capable of supporting eight battery packs. Includes power supply. North American customers should order configuration that includes NA Power Cord. Charges battery packs in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Full-Page Printer, CN70/CN70e</p> 	<p><b>6822P103C110100</b>  <b>6822P103C010100</b>  <b>6822P103C020100</b>  <b>6822P103C120100</b>  <b>6822P503C010100</b>  <b>6822P503C110100</b>  <b>6822P50FC010100</b>  <b>6822P10FC110100</b>  <b>6822P10FC010100</b>  <b>6822P10FC020100</b>  <b>6822P10FC120100</b>  <b>6822P503C020100</b>  <b>6822P503C120100</b>  <b>6822P50FC110100</b>  <b>6822F001C010100</b>  <b>6822F002C010100</b>  <b>6822F001C110100</b>  <b>6822F002C110100</b>  <b>6822F001C020100</b>  <b>6822F002C020100</b>  <b>6822F001C120100</b>  <b>6822F002C120100</b></p>	<p>A mobile full-page printer (dot-matrix, bi-directional) specifically designed to retain and charge the mobile computer. Available in fixed or portable mount configurations. Pairing with mobile computer via Bluetooth® or optional serial hardwired interface. Not compatible with Scan Handle, Magnetic Stripe Reader or Snap-On Adapters.</p>
<p>Full-Page Printer Upgrade Kit, CN70/CN70e</p> 	<p><b>203-966-001</b>  <b>203-967-001</b></p>	<p>682X series upgrade kits for CN70/CN70e series mobile computers. Pairing with mobile computer via Bluetooth or optional serial hardwired interface. Not compatible with Scan Handle, Magnetic Stripe Reader or Snap-On Adapters.</p>

Workboard Printer, CN70/CN70e



**PW50A050101**  
**PW50A050102**

A four-inch direct thermal receipt printer specifically designed to retain and charge the mobile computer. DEX, Mag Stripe, Smart Card capable. Pairing with mobile computer via Bluetooth interface. Requires separate battery (318-026-001) for stand-alone operation. Not compatible with Scan Handle, Magnetic Stripe Reader or Snap-On Adapters.

Workboard Printer Vehicle Docks, CN70/CN70e



**225-777-001**  
**225-778-001**

PW50 Vehicle Mounting Docks for CN70 and CN70e mobile computer. Docks provide secure mounting and charging of both printer and mobile computer.

**For more information:**

[www.honeywellaidc.com](http://www.honeywellaidc.com)

**Honeywell Scanning & Mobility**

9680 Old Bailes Road

Fort Mill, SC 29707

800-582-4263

[www.honeywell.com](http://www.honeywell.com)

